

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS
OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

THIS SPACE FOR OFFICE USE ONLY	
Date of filing in State Engineer's Office	DEC 18 2013
Returned to applicant for correction	
Corrected application filed	Map filed DEC 18 2013

The applicant Baker Ranches, Inc.
P.O. Box 29 of Baker
Street Address or PO Box City or Town
NV 89311 hereby make(s) application for permission to change the
State and ZIP Code

☒ Point of diversion ☒ Place of use ☐ Manner of use ☒ of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Permit No.69874

1. The source of water is Underground
Name of stream, lake, underground, spring or other sources.
2. The amount of water to be changed 0.694 cfs; 420.21 AFA
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for Irrigation
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
4. The water heretofore used for Irrigation
If for stock, state number and kind of animals.
5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
in the NW1/4 SE1/4 of Section 22, T.14N., R.70E., M.D.B.&M., whence the Southwest Corner of said Section 22 bears S.53°32'54"W., 3,386.08 feet distant.
6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
in the NE1/4 NW1/4 of Section 11, T.13N., R.70E., M.D.B.&M., whence the South Quarter Corner of said Section 11 bears S.8°29'13"E., 4,553.27 feet distant.

RECEIVED
 2013 DEC 18 AM 10:45
 STATE ENGINEERS OFFICE

*Snake Valley
11-195
wp*

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

Portions of SE1/4 NW1/4, W1/2 NE1/4, and the W1/2 SE1/4 of Section 22 in T.14N., R.70E., M.D.B.&M., 95.5 acres.

Per email from
Agent 12/30/13
PLO

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

E1/2 NW1/4 of Section 4, T.13N., R.70E., M.D.B.&M.; Portions of the N1/2 NW1/4, Portions of NE1/4, W1/2 SE1/4, NE1/4 SE1/4, E1/2 SW1/4 and SW1/4 SW1/4 of Section 12, T.13N., R.70E., M.D.B.&M.; and Lots 1, 2, 3 and 4, W1/2 NW1/4, NW1/4 SW1/4 Section 7, T.13N., R.71E., M.D.B.&M. 140.07 acres are to be removed. The acreage to be removed is the area that shares a common POU with Permit 69873.

9. Proposed use will be from January 1st to December 31st of each year.
Month and Day Month and Day

10. Existing use permitted from January 1st to December 31st of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

The applicant intends to construct a new well and pipe the water to a new pivot within the proposed place of use.

12. Estimated cost of works \$100,000

13. Estimated time required to construct works Three (3) years

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use Three (3) years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

This application to change the point of diversion and place of use of a portion of Permit 69874 is intended to remove 0.694 cfs from the original Point of Diversion and 140.07 acres from the original Place of Use. This water is to be added to the proposed Place of Use and to increase the existing duty from 3 ac-ft/ac to 4.4 ac-ft/ac.


16. Miscellaneous remarks:

The equivalent portions of water from Permit 69873 that share the same place of use as the water being changed by this application will also be moved by a separate application to change. We are aware that there will be 1871.3 ac-ft of combined duty under permits 69873 & 69784 remaining that will not be moved by this application.

RECEIVED
2013 DEC 18 AM 10:45
STATE ENGINEERS OFFICE

Emil W. Almberg, Jr., P.E./P.L.S.

Type or print name clearly



Signature, applicant or agent

Basin Engineering Corporation

Company Name

1070 E. Aultman Street

Street Address or PO Box

Ely, NV 89301

City, State, ZIP Code

almberg@basineng.com

E-mail Address

(775) 289-9800

Phone No.

Ext.

APPLICATION MUST BE SIGNED
BY THE APPLICANT OR AGENT